





F1G.2


and the contribution of th

















ST9495

Maybridge RF

ST39224


Aldrich S389587

>10, poor solubility

10 x Trp

>10, poor solubility, Initial

10 x Trp



F I G. 12A




FIG. 12B

ST38218

Aldrich S432261

ST56

Sigma - Zinc


soluble

10 x Trp

5 (?) times as effective as L-trp

5 x Trp

F1G.12C



F I G. 12D

ST48775 Specs

solubility 2.5 mM


5 x Trp

Aldrich S365882 ST38473

solubility <2.5 mM

5 x Trp

F I G. 12E



F I G. 12F

ST38624 Aldrich S358371

ST121

Sigma - Chloroquine

2 x Trp

active, 2.2 to 4.4 x trp, testing 2.2 x Trp

CH₃

F I G. 12G

2 fold better than tryp

F I G. 12H

ST439

Sigma - Quinacrine

ST38626

Aldrich S355887


2 fold better than tryp

2 x Trp

in 10% DMSO

2 x Trp

F I G. 12I




F1G.12J

ST43883 Microsource

ST38775 Aldrich S352381

1 x Trp

F I G. 12 K



F I G. 12L

ST38904 Aldrich S362743

ST41769 Aldrich S781762

active, similar to trp






FIG. 12M



F I G. 12 N


ST41070 Aldrich S895415

in 10% DMSO 0.75 x Trp



F I G. 120


ST5196 Microsource



F1G.12P

ST16969 Maybridge XBX ST38222 Aldrich S432377
slightly active 0.4 x Trp slightly active .25 x Trp

ST39008 Aldrich S688894



F IG. 12S

